


HUMIDITY GAUGES

HUMIDITY & TEMPERATURE GAUGE

Ideal for in-home use!



Simultaneously displays temperature and humidity on jumbo LCD panel. Designed for desk display or wall mounting.

Specifications:

- Humidity accuracy: $\pm 3\%$
- Humidity range: 20 to 90% RH.
- Temperature accuracy: $\pm 2\%$ F.
- Temperature range: 32° to 122° F (0° to 50° C).
- Digit height: 1.06" (27mm).
- Minimum/Maximum Memory.
- Responds and updates every 10 seconds.
- 4.33" x 3.84" x .82" (110 x 98 x 21mm).
- 1 AAA battery (included).
- On/Off switch.

#DTH-03A Humidity & Temperature Gauge

PROFESSIONAL HUMIDITY & TEMPERATURE METER

Compact humidity and temperature testing meter fits easily in your pocket or tool case.

Just slide off the protective cap, and it accurately reads relative humidity within 80 seconds.

Perfect for Damp-Chaser installers, this gauge looks as professional as it is.



Specifications:


- $\pm 3\%$ between 10-90% RH.
- Range 5% to 95% RH.
- Min/Max Memory.
- Response in 80 seconds.
- Belt Clip on Cap.
- Data Hold.
- F/C Switch.
- Auto Power Off.
- 6.7" x 1.9" x 1/8".
- 2 AAA batteries.

#CMM880 Professional Humidity & Temp. Meter

HUMIDITY & TEMPERATURE GAUGE

Displays temperature in Fahrenheit or Celsius. Relative humidity accurate to $\pm 5\%$ over a range of 10% to 99% RH. Minimum/maximum memory function. On/Off switch on back. One AAA battery included. Designed for desk or wall mounting.

#DTH-700 Humidity & Temperature Gauge




DAMPP-CHASER

HUMIDITY CONTROL SYSTEMS FOR GRANDS

Keeping consistent humidity is an essential part of piano maintenance. Dampp-Chaser Piano Life Saver Systems are the best way to protect a piano from the devastating effects of humidity changes, such as tuning instability, sluggish keys and actions, and cracked soundboards and bridges.

Piano Life Saver Systems consist of one or more dehumidifiers to lower humidity, one or more humidifiers to add humidity, and a humidistat to regulate the cycle.



Tek TIPS for CHOOSING the PROPER GRAND SYSTEM

1. Regarding humidification, the objective is to disperse moisture throughout the soundboard. Therefore, the humidifier tank is placed as close as possible to the center of the board. Alternatively, two tanks can be installed to achieve more widespread humidification. The two-tank systems are generally used in concert grands.
2. We recommend ordering the optional Smart Bracket (SB). This shuts off the humidifier heater bar when water is no longer present, so that the heater bar will not dry the piano when the humidistat is calling for moisture. This also helps preserve the integrity of the pads.
3. Regarding dehumidification, larger grands may require extra dehumidifiers. This also is the case if the piano is in a particularly humid location. All dehumidifiers will plug into the humidistat using the triple adaptor provided with the system. We also offer extra adaptors, if needed.
4. The 36" primary dehumidifier is recommended for grands with a narrower case or where the lyre brace board protrudes beyond the belly rail (such as Steinway, Schimmel, Wurlitzer, etc.). If an undercover will be installed, you must order a system with a 36" primary dehumidifier. The undercover is particularly effective where excessive air movement is present.
5. If you're not sure which system to choose, we'll be glad to make a recommendation. Give us a call.

G6PS-38-SB

Fits all grands.

6-part grand system with one 36", 38 watt dehumidifier, one 24", 25 watt dehumidifier, a humidifier with smart bracket, LED 3-light panel, H-5 humidistat, pads, water can, fill tube, & hardware.

G6PS-38

Same as above, but without Smart Bracket and "Pads" section of light panel.

G6PS-50-SB

6-part grand system with one 48", 50 watt dehumidifier, one 24", 25 watt dehumidifier, a humidifier with smart bracket, LED 3-light panel, H-5 humidistat, pads, water can, fill tube, & hardware.

G6PS-50


Same as above, but without Smart Bracket and "Pads" section of light panel.

G6PS-25-SB

6-part grand system with one 48", 25 watt dehumidifier, one 24", 25 watt dehumidifier, a humidifier with smart bracket, LED 3-light panel, H-5 humidistat, pads, water can, fill tube, & hardware.


G6PS-25

Same as above, but without Smart Bracket and "Pads" section of light panel.



G6PS-50-SB

*Discounts on
3 or more systems!*



G6PS-38-SB

These systems recommended for grands longer than 6'10":

G7PS-38-SB

7-part grand system with one 36", 38 watt dehumidifier, one 24", 25 watt dehumidifier, 2 humidifiers, smart bracket, LED 3-light panel, H-5 humidistat, pads, water can & fill tube, and all necessary hardware.

G7PS-38

Same as above, but without Smart Bracket and "Pads" section of light panel.

G7PS-50-SB

7-part grand system with one 48", 50 watt dehumidifier, one 24", 25 watt dehumidifier, 2 humidifiers, smart bracket, LED 3-light panel, H-5 humidistat, pads, water can & fill tube, and all necessary hardware.

G7PS-50

Same as above, but without Smart Bracket and "Pads" section of light panel.


All systems include a 7.5 oz. bottle of humidifier treatment.

Options

The **Smart Bracket (SB)** turns off the humidifier heater bar when there is no water in the top of the pads, indicating that either there is no water in the tank, or the pads are no longer effective. The Pads light on the 3-light panel will turn on.

Beepers available on all grand systems, for an additional charge.

A Wet (50% RH) or Dry (39% RH) humidistat may be substituted in all grand systems for an additional charge.



#72660 (SB) Smart Bracket

GRAND UNDERCOVERS

A grand undercover adds value to any system by:

1. Providing protection from extreme air current, thereby increasing tuning stability even further.
2. Keeping dust and dirt out.
3. Keeping the system out of sight.

Made of very high quality black grille-cloth, and installed using self-adhesive velcro to allow easy access during maintenance.

Designed for use only with systems featuring a 36" primary dehumidifier (not 48"), and with a between-the-beams installation.

For all grand 5'11" and less, and for vertical pianos:


#GUS/ BSC **Small Grand/ Backside Vertical Undercover** (68" x 48")

For grands 6'0" through 7'3":

#GUM **Medium Grand Undercover** (68" x 60")

For grands 7'4" through 9'6":


#GUL **Large Grand Undercover** (68" x 84")



Align the Grand Undercover on the piano lid before cutting.

DAMP-CHASER

HUMIDITY CONTROL SYSTEMS FOR UPRIGHT PIANOS



Dehumidifier with extensions



Watering Can



Light Panel



H-5 Humidistat



Humidifier

Options

The **Smart Bracket (SB)** turns off the humidifier heater bar when there is no water in the top of the pads, indicating that either there is no water in the tank, or the pads are no longer effective. The Pads light on the 3-light panel will turn on.

BEEPERS available on all 5-part upright systems, for an additional charge.

A Wet (50% RH) or Dry (39% RH) humidistat may be substituted in all upright systems for an additional charge.

A Backside Vertical Cover (# GUS/BSC) made of very high quality black grille-cloth is available for an additional charge. (Included with BSV9PS-SB.)

5PS-50-SB

Standard system. 5-part upright system with one 48" adjustable 50 watt dehumidifier, a humidifier with smart heater bar, LED 3-light panel, H-5 humidistat, pads, water can & fill tube, and all necessary hardware.

5PS-50

Same as above, but without Smart Bracket and "Pads" section of light panel.

5PS-25-SB

5-part upright system with one 48" adjustable 25 watt dehumidifier, a humidifier with smart heater bar, LED 3-light panel, H-5 humidistat, pads, water can & fill tube, and all necessary hardware.


5PS-25

Same as above, but without Smart Bracket and "Pads" section of light panel.

BSV9PS-SB

Backside vertical 9-part system includes four 18" 25 watt dehumidifiers, two special humidifiers to be installed in the back of the piano, smart bracket, LED 3-light panel, dual humidistat, water can & fill tube, back cover, and all necessary hardware.

All systems include a 7.5 oz. bottle of humidifier treatment.



Backside Vertical 9-Part System

Tek TIP for CHOOSING the PROPER UPRIGHT SYSTEM

The backside system is designed for use on Steinway uprights, players, Disklaviers, or any upright with too narrow a front compartment to accommodate the depth of the standard humidifier.

DEHUMIDIFIER RODS

All 48" rods (except 15 watt) must be installed with a humidistat.

For Grands

48-50
48", 50 watt dehumidifier.

48-35
48", 35 watt dehumidifier.

48-25
48", 25 watt dehumidifier.

36-38
36", 38 watt dehumidifier.

7F
36", 25 watt dehumidifier.

5F
36", 15 watt dehumidifier.

24-25
24", 25 watt dehumidifier.

5RF
24", 15 watt dehumidifier.

3F
18", 12 watt dehumidifier.

1F
12", 8 watt dehumidifier.

For Uprights

48-50A
Adjustable 48" to 60", 50 watt dehumidifier.

48-35A
Adjustable 48" to 60", 35 watt dehumidifier.

48-25A
Adjustable 48" to 60", 25 watt dehumidifier.

48-15A
Adjustable 48" to 60", 15 watt dehumidifier.

Cord length is 6-feet on all dehumidifier rods. Hardware is included.

3P50A Economical 3-pack

Includes (3) H-D's, and (3) 48-50A dehumidifiers.


3P25A Economical 3-pack

Includes (3) H-D's, and (3) 48-25A dehumidifiers.

HUMIDISTATS

Senses the level of relative humidity, and activates either the dehumidifier or humidifier, as needed. A 10-foot power cord and hardware are included. Both styles may be installed in grands or uprights, and come standard with a setting of 45% RH.

H-5 HUMIDISTAT



To be used when both a humidifier(s) and dehumidifier(s) will be installed. With plug-and-play attachments for the Light Panel, Smart Bracket, and Low Water Sensor.

H-D HUMIDISTAT



The H-D Humidistat can accommodate up to 2 dehumidifiers, and does not accommodate a humidifier. (Additional dehumidifiers may be added by using an adaptor.)

Options

Both humidistats may be ordered with a Wet (50% RH) or Dry (39% RH) setting, for an additional charge.


Both humidistats may be ordered with an audible warning beeper to signal low water, for an additional charge.

DAMPP-CHASER

HUMIDIFIERS

HM-5

Complete Humidifier fits grands or uprights.



Tank measures 14 1/4" long x 3 3/4" wide x 7" high (including heater bar).

Includes H-5 Humidistat, Water Tank, Low Water Sensor, Baffle, Pads, Water Can, Fill Tube, Humidifier Treatment, 2-Light Panel. Optional Smart Bracket may be ordered separately.


#HM-5 Humidifier

HM-5 DUAL

Complete Dual Humidifier for grands over 6'10". Includes H-5 Humidistat, 2 Water Tanks, Low Water Sensor, Baffles, Pads, Water Can & Fill Tube, Treatment, 2-Light Panel. Optional Smart Bracket may be ordered separately (requires only one).

#HM-5 DUAL Dual Humidifier

SMART BRACKET (SB)



For use with H-5 Humidistat. Eliminates uncertainty as to when to change humidifier pads. When humidifier pads dry out and no longer wick water, the red SB light, marked PADS, blinks. The SB shuts off the humidifier heater bar so it will not dry the piano when the humidistat is calling for moisture.

#72660 Smart Bracket (SB) with Single-Light Cube

HUMIDIFIER PADS

Replacement pads for wicking water across the humidifier heater bar. We recommend replacing pads twice a year, or when mineral deposits render them ineffective.

UHP-4

4 replacement pads, 1 black liner, 1 clear liner, 1 clean sleeve.



UHP-48

48 replacement pads, 12 black liners, 12 clear liners, 12 clean sleeves.

HUMIDIFIER TREATMENT

Humidifier additive formulated to reduce mineral build-up and bacterial growth. Keeps watering tube clean and clear. Prolongs humidifier pad effectiveness.

HT8

7.5 oz. Humidifier Treatment

HT8/12

12-pack of 7.5 oz. Humidifier Treatment

HT16

16 oz. Humidifier Treatment

HT16/12

12-pack of 16 oz. Humidifier Treatment



WATER CANS & FILL TUBES



#72526 Universal Water Can & Fill Tube (WK-UT)

#59030 Universal Water Can

#59033 Universal Fill Tube


#72611 Universal Water Can with Adaptor for old style tube & tank

#50550 Old Style Fill Tube

DAMP-CHASER


ADAPTORS

Use these adaptors when adding extra dehumidifier rods.



20379 Triple Adaptor (184)

Easily snap in-line to create an extra outlet.



AAO Add-an-Outlet

Use to eliminate extra length of cord. Remove old plug, shorten, then replace with super plug.



SP Super Plug

TOOLS



Smooth ratchet action allows turning in either direction. Perfect for turning hex head screws used in Damp-Chaser systems. 3 $\frac{3}{4}$ " long. (Also use for adjusting let-off eye screws.)

CM-13 Mini-Ratchet



Magnetic hex head screwdriver. Removable shaft. Handle doubles as a pin-peg setter.

HEX Magnetic Hex Driver



To confirm power at outlet.

NTL Neon Test Light

HUMIDIFIER HEATER




Humidifier heating element only. (GHM-1 / HM-1).

50657 Humidifier Heater Bar

REPLACEMENT TANK

With liner & 90123 heater bar clips. No heater bar.



50972

Universal Tank only

CLEAN SLEEVES

Clear, heat-resistant plastic sleeve that covers the humidifier heater bar. Protects against hard water corrosion, eliminates need to clean heater bar.

Sold in 12-pack. (Not pictured.)

72768 Clean Sleeve pack

BAFFLES

For dispersion of moisture.

For universal tanks.

Approximately 17" x 2 $\frac{3}{8}$ ".

59032

Universal Baffle



Approximately 19" long.

50695


Upright Baffle



Approximately 20" x 5".

50539

Grand Baffle



About 17" in length.

50688

Grand Short Tank Baffle




GRAND UNDERCOVERS

A grand undercover adds value to any system by:

1. Providing protection from extreme air current, thereby increasing tuning stability even further.
2. Keeping dust and dirt out.
3. Keeping the system out of sight.

Made of very high quality black grille-cloth, and installed using self-adhesive velcro to allow easy access during maintenance.

Designed for use only with systems featuring a 36" primary dehumidifier (not 48"), and with a between-the-beams installation.



For all grands 5'11" and less, and for vertical pianos:

GUS/ BSC Small Grand/ Backside Vertical Undercover

For grands 6'0" through 7'3":
GUM Medium Grand Undercover

For grands 7'4" through 9'6":
GUL Large Grand Undercover

SUPPORT TUBES



Pair of telescoping support tubes with hanging brackets, for grands without beams. Tubes create "beams" for suspension of the humidifier tank. Hardware included.

48-A Support Tubes

DAMPP-CHASER

MISC. PARTS

#72676 (FRK) **Field Replacement Kit** Includes: LWS, SB, 2-Light Panel, & Single-Light Cube.

#72672 (LWS) **Low Water Sensor** for use with H-5



#72660 (SB) **Smart Bracket** for use with H-5. Includes Single-Light Cube.



#72670 **2-Light Panel** for use with H-5



#72671 **Single-Light Cube** for use with H-5



#60617 **1/8" Plastic Clamps (2)** with 2 screws

#60616 **1/4" Plastic Clamps (2)** with 2 screws

#60615 **7/16" Plastic Clamps (2)** with 2 screws

#60638 **1/2" Plastic Clamps (2)** with 2 screws

#60614 **9/16" Plastic Clamps (2)** with 2 screws

#50730 **5/8" Plastic Clamps (2)** with 2 screws

#60611 **3/4" Plastic Clamps (2)** with 2 screws



#60619 **1/2" Half-Clamps (2)** for Fill Tube, with 2 screws & 2 lockwashers



#90123 **Universal Tank Heater Bar Clips (3)**



#60632 **Hanger Brackets** for grand tanks (4 brackets, 4 screws)



#90134 **Velcro Kit** for grand humidistat (not pictured)

#91079 **Clip & Screw Kit (2)** for grand dehumidifier



#20233 **#6 Screw** for grand humidistat



#60641 **Flex Brackets (4)** for attaching hanger rods to braces in grand



#50585 **Hanger Rods (2)** to suspend grand humidifier tank from beams



#91080 **Y Brackets (2)** & hardware, for hanging universal tank in vertical



#50669 **Pin-Pegs (2)** for vertical dehumidifier



#91108 **Longer Clips (Standoffs) (2)** to attach H-5 to dehumidifier in vertical




SALES AIDS & INSTRUCTIONAL AIDS

#DCHV-1
Promotional Video



#DCHV-2
Installation DVD

#SCM
Schematic map.
Diagrams for
grand installations.



#VALUE
12-page full color
brochure is a power-
ful sales aid.

