

## PROTEK™ LUBRICANTS

*Designed specifically for use in the piano industry, all Protek lubricants have very little odor, and are environmentally safe.*



### PROTEK™ CLP LUBRICANT

Protek™ center pin cleaner/lubricant (CLP) made from high-tech polymers. Removes verdigris and protects against future build-up by coating the center pin and sealing the cloth from moisture. Will not travel, dry out, nor attract dust.

- # PRO4 Protek™ CLP Lubricant, 4 oz.
- # PROQ Protek™ CLP Lubricant, quart (32 oz.)
- # PROG Protek™ CLP Lubricant, gallon (128 oz.)

### PROTEK™ PROLUBE SPRAY LUBRICANT

An advanced state polymer spray lubricant. Designed for high friction areas like keybed and frame. Great for keypins and grand damper wires. Provides long-lasting, durable lubrication.

- # PSL4 ProLube Spray Lubricant, 4 oz.
- # PSL16 ProLube Spray Lubricant, 16 oz.
- # PSL-R16 ProLube 16 oz. Refill

### PROTEK™ MULTI-PURPOSE LUBE

Clean, high-tech grease-type lubricant which does not dry out. Use on all wood-to-wood, wood-to-metal, and metal-to-metal applications. Ideal for trapwork. Exceptionally long-lasting.

- # MPL-1 Multi-Purpose Lubricant, 2 oz.

### SUPER LUBE®

Highly recommended for pedal trapwork. A patented, multi-purpose grease with PTFE. Long-lasting, clean, non-toxic. Will not run, drip, or evaporate. Repels dirt, dust, grime. 3 oz.

- # SL-210 Super Lube® Grease



## TFL-50® SPRAY LUBRICANTS

DuPont's TFL-50® aerosol lubricants in dry or wet formulas. TFL-50® DRY dries quickly. Can be used virtually anywhere on pianos. TFL-50® WET can be used in place of grease-type lubricants. The 5 oz.



can is the perfect size for carrying in your tool case.

- # TFL-50D10 TFL-50® Dry Spray, 10 oz. aerosol
- # TFL-50D5 TFL-50® Dry Spray, 5 oz. aerosol
- # TFL-50W10 TFL-50® Wet Spray, 10 oz. aerosol
- # TFL-50W5 TFL-50® Wet Spray, 5 oz. aerosol

## MICRO-FINE LUBRICANT POWDER

Micro-fine lubricant in powdered form. Formulated to apply smoothly, without caking or glazing. Use on knuckles to reduce friction and eliminate squeaking.



*Great for knuckles!*

- # TFE-2 Powdered Lubricant, 3.5 oz. jar
- # TFE-3 Powdered Lubricant, 7.5 oz. jar

## McLUBE LUBRICANTS

McLube 444A & 1725L colorless lubricants for action centers, key pins, player motors, etc. McLube 1708L molybdenum based lubricant. Dark grey. Substitute 1708L for graphite on bridges, etc. Will not rub off.



- # 444L8 McLube 444A Liquid, 8 oz.
- # 444LG McLube 444A Liquid, gallon
- # 1725A McLube 1725L Aerosol, 16 oz.
- # 1708L8 McLube 1708L Liquid, 8 oz.
- # 1708A16 McLube 1708L Aerosol, 16 oz.

# TREATMENTS & APPLICATORS

## TEK HAMMER SOFTENER

Apply this solution to hammerheads to soften felt and create a more mellow tone. In 8 oz. flip-top bottle.  
**#THS Tek Hammer Softener**



## HAMMER HARDENERS

Acrylic granules mixed with acetone. Dries quickly. A half-pound is enough to make about 40 8-oz. bottles. Can be easily needed if necessary. Also available pre-mixed in 8 oz. flip-top applicator bottle.



- #HHP-1 Hammer Hardener Pellets**
- #MAX HammerMax, pre-mixed 8 oz.**

**Tek TIP** Mix 2 or 3 different strengths of Hammer Hardener, tailored to suit your purpose.

## TUNING PIN TIGHTENER

Tightens loose tuning pins fast (20 minutes to 1 hour). Will never rot wood. Also works on stripped screw holes. In 250 ml (8 oz. +) bottle.  
**#PT-250 Pin-Tite**



## HUMIDIFIER TREATMENT

Specially formulated for the Damp-Chaser heat-vaporizing humidifier. When used regularly, this treatment prolongs humidifier pad life, keeps watering tube clean & clear, and reduces mineral build-up.



- #HT8 8 oz. Humidifier Treatment**
- #HT8/12 8 oz. Humidifier Treatment, 12-pack**
- #HT16 16 oz. Humidifier Treatment**
- #HT16/12 16 oz. Humidifier Treatment, 12-pack**

## FELT & CLOTH TREATMENT

Soaking treatment relaxes fibers for increased manageability and flex. Soak felt or cloth before installing. Quart.

- #VS-98 VS Profelt**



## APPLICATOR BOTTLE

8 oz. plastic bottle with flip-top spout. Great for dispensing all kinds of liquids, especially our hammer treatments, etc.  
**#BF-8 Flip-Top Bottle**




## HYPHO APPLICATORS

Plastic applicator with blunt-end 1" needle for applying center pin lubricant, hammer treatments, Pin-tite, Zap, etc.



- #HYPO-25 2 oz. Hypo (thinner needle)**
- #HYPO-494 4 oz. Hypo (standard needle)**

## GLUE BRUSHES



Horsehair brush for applying adhesives or lubricants. Overall length 5 3/4". Brush 1/2" wide. By dozen or in box of 144.  
**#BR-12 Glue Brush, dozen**  
**#BR-12/B Glue Brush, box**

## GLUE INJECTOR



1/2 oz. plastic syringe with blunt end. Very tight seal. Cap included. For PVC-E, PVA, etc.  
**#GI-2 Glue Injector**

## GLUE ROLLER

For rolling cold glues. 8 oz. bottle with removable 2 1/4" roller. Roller & stem are glue resistant.  
**#GR-1 Glue Roller**



## WEST SYSTEM EPOXIES



*If kept sealed when not in use, West System resin and hardeners should remain useable for years.*

Industrial epoxies formulated to cure to a high-strength plastic solid at room temperatures. This extremely versatile, high quality epoxy can be modified to provide a wide range of handling characteristics and physical properties, allowing you to create your ideal mixture.

You will need the 105A Resin plus either the 205A or the 206A Hardener, depending on your needs. Optionally, you may also wish to use the Microlight Filler to thicken the epoxy to your desired viscosity.

### 105A EPOXY RESIN

The base material upon which all West System components are built. A clear, pale amber, low-viscosity liquid resin. Can be cured in wide range of temperatures. Fills gaps, bridges voids when modified with filler. Can be sanded when cured. Cures clear. Mix with 205A or 206A Hardener in 5-part Resin to 1 part Hardener ratio. Quart.  
#WS-105A 105A Epoxy Resin

### 205A HARDENER

Medium viscosity, general purpose curing agent. Produces a rigid, high-strength solid. Pot life 9 to 12 minutes. Initial cure 6 to 8 hours. In .44 pint unit (for mixing with quart 105A Resin).  
#WS-205A 205A Hardener

### 206A HARDENER

Best choice for bridge repair. Low viscosity. Provides extended working and cure time. Pot life 20 to 25 minutes. Initial cure 9 to 12 hours. In .44 pint unit.  
#WS-206A 206A Hardener

### MICROLIGHT FILLER

Use to create an extremely light, easily carved & sanded fairing compound. Blends easily. Smooth texture permits fine featheredge. Dries to "new wood" color.  
#WS-410 Microlight Filler

### 301A MINI PUMPS

Eliminates guesswork. Designed for convenient and accurate dispensing of 105A Resin & 205A or 206A Hardener. Calibrated to deliver proper ratio of 5 parts resin to 1 part hardener, with 1 full pump stroke of each. Can be left mounted in cans.  
#WS-301A Mini Pumps

**Tek TIP** Leave mini-pumps indefinitely in cans without affecting shelflife.

### FIVE-MINUTE EPOXY

For quick repairs, general bonding. Bonds to wood, fiberglass, metal. One-to-one mixture.  
#WS-G5/4 5-Minute Epoxy (4 oz.)  
#WS-G5 5-Minute Epoxy (16 oz.)

### HANDY REPAIR PACK

Handy Repair Pack includes 105 Resin & 205 Hardener, high density filler, 1 brush, mixing stick, pipe cleaner, 2 cleaning pads.  
#WS-101 Handy Repair Pack

### MAXI REPAIR PACK

Maxi Repair Pack has enough 105 Resin, 205 Hardener, low & high density fillers for several repairs. Includes 2 brushes, 1 syringe, 2 pipe cleaners, 4 mixing sticks, disposable gloves, 4 cleaning pads, mixing cups.  
#WS-101/6 Maxi Repair Pack

### EPOXY PACKETS

Resin & Hardener packets only. Ideal for on-the-spot repairs.  
#WS-101/T Epoxy Packet



### MIXING POTS & STICKS

Reusable 16 oz. polypropylene mixing pot. Dry epoxy easily pops out.  
#WS-805 Mixing Pot

3/4" x 5 1/2" wooden mixing sticks.  
#WS-804 Mixing Sticks

# ADHESIVES

## ZAP CYANOACRYLATE PRODUCTS

Premium quality "super" glue products, perfect for emergency repairs and much more!

### ZAP-A-GAP CA+

Gap-filling formula bonds almost anything in 5-10 seconds. Works through oily surfaces. Fills larger gaps when used with Zip Kicker. 12-month shelf life.

#ZAP-02 Zap CA+, 1 oz.

#ZAP-05 Zap CA+, 4 oz.



### ZIP KICKER ACCELERATOR

Forces the immediate cure of all cyanoacrylate glues. Expands gap-filling ability. Solves most tough-to-bond material combinations.

#ZIP Zip Kicker, 2 oz. spray



### ZAP CA

Super thin, super fast cure. Penetrating action. The best for "tacking" applications.

#ZAP-08 Zap CA, 1 oz.

#ZAP-06 Zap CA, 4 oz.



### Z-7 DEBONDER

Debonding agent for all CA glues. Removes cured CA from skin, work surfaces, etc. Odorless. Always a good idea.

#Z-7 Z-7 Debonder

### SLO-ZAP CA-

High viscosity (thicker). Maximum gap-filling. Slower cure means more working time.

#ZAP-20 Slo-Zap CA-, 1 oz.




### Z-ENDS

10 extension tips and a 12" length of micro-dropper tubing.

#ZEN Z-Ends

**Tek TIP** Transfer your ZAP (not thin) to a Hypo-494 for more controlled dispensing. Just tap it on the bench to slide down glue from spout. Will not melt container or harden.

### GLUE WAFERS FOR GENUINE IVORY



Traditional method of adhering ivory heads and tails to key-sticks. To use, soak wafer in water and apply to key. Position ivory, apply hot plate, and clamp.

#HW-1H Glue Wafers/ Heads

#HW-1T Glue Wafers/ Tails

### PVC-E GLUE



White, water-based glue for all cloth, felt, leather, plastic. Our favorite choice for installing key-tops and bushings. Does not harden felt or cloth. Can be thinned up to 20%, with water. Dries to a clear glue line.

#PVCEP PVC-E Glue, Pint

#PVCEQ PVC-E Glue, Quart

### BEHLEN SPRAY ADHESIVE

Behlen Spray Adhesive develops a high strength bond in seconds. Easy to work with, provides either permanent or temporary bond on porous or non-porous materials. For plastics, leather, wood, fabric, paper, urethane, etc. Really comes in handy.



#B102-0076 Spray Adhesive

## FRANKLIN TITEBOND® PRODUCTS

*"The Professional's Choice."*

### LIQUID HIDE GLUE

Ready-to-use. Slow set allows longer, precise assembly. Superior strength on most porous materials. Ideal for musical instruments or fine furniture repair. Unaffected by lacquers, varnishes or sealers. Easy applicator cap for successful use and storage.



- # FT-L4      **Liquid Hide Glue, 4 oz.**
- # FT-L8      **Liquid Hide Glue, 8 oz.**



### TITEBOND® EXTEND WOOD GLUE

Slower setting version of Titebond® Original Wood Glue.

- # FT-X128      **Titebond® Extend Wood Glue, Gallon**

### TITEBOND® ORIGINAL WOOD GLUE

The original aliphatic resin glue. Bonds stronger than wood. Heat-resistant. Sands easily. Paintable. Strong initial tack, sets fast. Specifically formulated for hard or soft woods, as well as most other porous materials. Easy applicator cap. Water cleanup.



- # FT-W4      **Titebond® Original Wood Glue, 4 oz.**
- # FT-W8      **Titebond® Original Wood Glue, 8 oz.**
- # FT-W16      **Titebond® Original Wood Glue, 16 oz.**
- # FT-W128      **Titebond® Original Wood Glue, Gallon**

**Tek TIP**      Always keep your glue pot covered when in use. Our handy glue pot lid prevents water from evaporating, and prolongs working time of hot hide glue.

### HIDE GLUE

Highest quality animal hide glue, in dry granules. For hammerhead installation, key bushing, wood working, etc. Minimal odor.

- # HG-1      **Hide Glue**



### UREA

Add approximately 15% by dry weight to hide glue, to slow cure time. In dry beads.

- # UR-1      **Urea**



### GLUE POT & LID

Automatic 1-quart glue pot for accurate heating of hide glue. Internal thermostatic control keeps glue at optimum temperature. Liner easily removes for cleaning. Includes wipe rod. Also: acrylic glue pot lid with hole for glue stick.

- # G-1151      **Hold-Heet Glue Pot**
- # G-1151/L      **Acrylic Lid for Glue Pot**
- # G-1151/C      **Replacement Liner**

### BOLDUC ACOUSTIC WOOD GLUE

From Andre Bolduc. Strongest wood-to-wood liquid glue.

- # BW-300      **Bolduc Wood Glue, quart**



### PVA GLUE

White glue for quick wood repairs.

- # PVA      **PVA Glue**



# CLEANING & POLISHING

## CORY INSTRUMENT PRODUCTS



### SUPER HIGH GLOSS PIANO POLISH

Specially formulated to clean and protect high-gloss polyester, polyurethane, and lacquer finishes in one easy step. Non-streaking, anti-static formula. Eliminates finger prints. Special UV protection helps prevent fading and surface deterioration.

- # C-HG8 Super High Gloss Polish, 8 oz. spray
- # C-HG32 Super High Gloss Polish, 32 oz. bottle

### SATIN POLYESTER POLISH

Designed for today's new polyester and polyurethane satin finishes. Helps to remove fingerprints and smudges, while adding a protective shield to satin finishes. Use as often as desired, without buildup.

- # C-SP8 Satin Polyester Polish, 8 oz. spray
- # C-SP32 Satin Polyester Polish, 32 oz. bottle

### SATIN SHEEN CLEANER/CONDITIONER

Formulated to clean, condition, and beautify all satin ebony piano finishes. Use Satin Sheen to remove fingerprints, smudges, and dirt. Works on poly as well as lacquer finishes. Reduces static, and protects against fingerprints and oils. Simply apply, rub in direction of grain, and buff off.

- # C-SS8 Satin Sheen Piano Polish, 8 oz. spray
- # C-SS32 Satin Sheen Piano Polish, 32 oz. bottle

### ALL-BRITE

Non-greasy moisturizing treatment for polishing and protecting surfaces from drying and cracking. For all satin lacquer, shellac, and open pore woods. Simply spray on and wipe into finish.

- # C-AB4 All-Brite, 4 oz. spray
- # C-AB8 All-Brite, 8 oz. spray



### HARMONY DETAILING OIL

Harmony Detailing Oil is a premium blend of finest oils that safely moisturize wood and metal piano surfaces. Safe for use on all piano cases, soundboards, hardware, damper heads, and plates. Excellent for detailing grands or uprights. Use as often as desired to protect and maintain pianos.

- # C-HD8 Harmony Detailing Oil, 8 oz.
- # C-HD32 Harmony Detailing Oil, 32 oz.



### FINE WOOD RESTORER

Colors and repairs surface scratches on all walnut, mahogany, maple, oak, and pine surfaces. Use on antiques to restore wood grain and moisturize wood.

- # C-FW4 Fine Wood Restorer, 4 oz.



### COCONUT WOOD CLEANER

An amazing all-natural cleaner that deep-cleans grime, wax, and build-up from most cleanable wood surfaces. Like all Cory products, it is non-toxic. Try Coconut Wood Cleaner on pianos, furniture, paneling, cabinets, painted walls, leather, office equipment, appliances, carpets, etc.

- # C-CW8 Coconut Wood Cleaner, 8 oz. spray
- # C-CW32 Coconut Wood Cleaner, 32 oz. bottle



### KEY-BRITE

Cleans and brightens all plastic and ivory keytops, as well as plastic or ebony sharps. Just spray onto key coverings, and wipe clean with Cory Cleaner Cloth.

- # C-KB4 Key-Brite, 4 oz. spray
- # C-KB32 Key-Brite, 32 oz. bottle



### BUFF-BRITE

High-tech, water-based buffing compound designed to clean and buff brass, nickel, and chrome without leaving a film. Use on hardware (hinges, pedals, tarnished nameplates, etc.).

- # C-BB4 Buff-Brite, 4 oz.



# CLEANING & POLISHING

## CORY TECH DETAILING KIT

Contains one 4-oz. bottle of each: Super High Gloss Polish, Satin-Sheen Cleaner/Conditioner, Key-Brite Polish, Harmony Detailing Oil, and Coconut Wood Cleaner, plus one Cleaner Cloth and one Polisher Cloth, all in a plastic clamshell case.



*Ideal for service calls!*

# C-TK4 4 oz. Cory Tech Kit

## ULTIMATE CARE KIT #1

For lacquer wood finishes. Includes 4 oz. each of All-Brite and Key-Brite, plus Cleaner and Polisher Cloths.

# C-K1 Ultimate Care Kit #1



## ULTIMATE CARE KIT #1G

For high-gloss finishes. Includes 4 oz. each of Super High Gloss Polish and Key-Brite, plus Cleaner and Polisher Cloths.

# C-K1G Ultimate Care Kit #1G



## ULTIMATE CARE KIT #1S

For satin ebony finishes. Includes 4 oz. each of Satin-Sheen Cleaner/Conditioner and Key-Brite, plus Cleaner and Polisher Cloths.

# C-K1S Ultimate Care Kit #1S



## CLEANER CLOTH

A soft, thick weave, non-treated fleece cloth for application of all Cory cleaners. Machine-washable. 12" x 14".

# C-CC Cleaner Cloth



## POLISHER CLOTH

Special, soft, thick-weave, non-treated fleece cloth for application and final shining of all Cory polishes. Machine-washable. 12" x 14".

# C-PC Polisher Cloth

## MEGA DUSTER

Special treated double weave cloth is a dust magnet. Oversized (20" x 15") for easy dusting. Cleans any high performance finish thoroughly, without scratching. No cleaning spray needed — special fabric picks up dust without recirculating it into the air. Machine-washable.

# C-MD1 Mega Duster Cloth



## DUST-N-BUFF MITT

Genuine sheepskin mitt. Use sheepskin side for cleaning and then turn over to polish with the fleece polisher material side. Can be washed on gentle cycle.

# C-DB1 Dust-N-Buff Mitt



## SOUNDBOARD STEEL

Insert a cloth in one end of this spring steel to clean grand soundboards. (Not pictured.)

# STL-250 Soundboard Steel

## OSTRICH FEATHER DUSTERS

Perfect for high gloss finishes. The ostrich feather has thousands of tiny fingers & natural oils that pick up and remove dust on contact. Flexible feathers can reach tiniest crevices. Washable. 100% genuine ostrich feathers, collected during molting. Highest quality.

# FD-728 **Deluxe Ostrich Duster**  
with wood handle, mature black feathers.  
28" overall, 16" wood handle.

# FD-400 **Retractable Ostrich Duster**  
with black feathers, black plastic handle with hook.  
Feathers fully retract within handle, to overall 10" length.



# HEARING PROTECTION

## PELTOR® HEARING PROTECTORS

*World leader in hearing protection.*

In terms of health alone, it is vital that hearing protection is worn in any environment with dangerous noise levels. Just a few careless minutes a day is enough to cause permanent hearing loss after a few years. Peltor products are founded on over 40 years of independent research and practical experience. This strength has brought Peltor products to its current position as world leader in hearing protection.

### TWIN CUP® HEARING PROTECTOR

New technology in hearing protection — a dual shell that enables minimizing resonance and thereby achieves maximum high-frequency attenuation. In fact, the level of high-frequency attenuation is so outstanding that it exceeds the individual threshold for sound transmission through bone conduction. All that's left in the high-frequency range is the noise that reaches the inner ear through the unprotected part of the skull! **Peltor's H10A has the highest noise reduction rating on the market for any earmuff that has been tested by an accredited test facility.**

Features wide, softly-padded headband for comfortable, long-term use. Individual stainless steel headband wires for convenient & comfortable alignment. Simple, smooth height adjustment. Wide ear cushions are filled with a newly developed soft foam which provides excellent sealing properties, good fit, & low surface pressure. Ear cushions are replaceable. Weight: 9.3 oz. Noise reduction rating: 29.



#HP-H10A Peltor Twin Cup® Hearing Protector

### STOW-A-WAY HEARING PROTECTOR



World's lightest weight folding hearing protector with wide liquid/foam filled ear cushions. Developed for portability, storage, and optimum fit. When folded, no foreign particles can enter inner cup. Weight: 6.5 oz. Noise reduction rating: 22.

#HP-H6FV

Stow-A-Way Hearing Protector



### PELTOR WORKTUNES™

The trusted name of Peltor hearing protection combined with an AM/FM radio! Flexible antenna with high reception sensitivity. Auto soft switch from stereo to mono for interference-free reception in areas with weak signals. Quick & easy tuning and volume controls. Wide, soft-padded headband for all-day comfort. Individual stainless steel headband wires for even distribution of pressure around ears. Sturdy, stepless height adjustment. Replaceable cushions. Noise reduction rating: 25.

#HP-HRX79A Peltor Worktunes™

*Built-in AM/FM radio!*



### HEARING PROTECTOR FOR WALKMAN

Features stereo headset with 3.5 m mini plug for use with walkman or other personal stereo system. (Use volume control on walkman.) Extra wide, soft-padded headband. Even low pressure distribution around ear cushions. Weight approximately 12 oz. Noise reduction rating: 22.

#HP-HT7A

Peltor Hearing Protector/ Headset



# RESPIRATORS

## AO SAFETY RESPIRATOR

### EZ Drop™ Air Purifying/ Air Supplying Half Mask Respirator with Slide-Release Strap

Features unique quick removal. Just undo the buckle, and the respirator releases and slides to park on the technician's chest. No need to remove headgear, glasses, or other equipment. Compact yoke provides low profile and maximum visibility. Contoured flange for optimum fit and comfort.

- No-snap straps with comfortable curved neck buckle.
- Three sizes.
- Lightweight.
- Cartridge and filter included.
- NIOSH approved.




- # HP-8215S Half Mask Respirator, Small
- # HP-8205M Half Mask Respirator, Medium
- # HP-8225L Half Mask Respirator, Large
- # HP-8051OV Organic Vapor Cartridge only
- # HP-R9520 Filter only

*See page B-10 for Dust Masks.*

## EARPLUGS

Great for tuners and musicians. Reduces harmful noise, but allows sound to penetrate. Fits in your tool case. Noise reduction rating of 12 decibels.



- One size fits all.
- # ER-20 Earplugs, pair

## CUP STYLE RESPIRATOR

These particulate respirators are not only softer feeling for more comfortable wear, but also have an interior foam flap for a snug, effective fit around the nose. Head straps securely stapled to tabs assure filtering performance integrity.

- Double shell construction for longer life.
- Large surface/ breathing area.
- One size fits most.
- NIOSH approved.



# HP-N9504  
Cup Style  
Particulate Respirator

## FOLDING STYLE RESPIRATOR

With twice the surface area of any other filtering face-piece available, these respirators are more than twice as easy to breathe through. More surface area and lower breathing resistance result in comfortable (no heat & moisture build-up) long life. Flexible pleats encourage easy communication and ensure proper seal at all times.

- Braided elastic no-snap headbands.
- Fold flat for easy storage.
- Two sizes. (Medium/large size fits most faces.)
- NIOSH approved.




- # HP-N950256 Pleats Plus Respirator, Small /Med.
- # HP-N950257 Pleats Plus Respirator, Med./ Large

# SHOP SUPPLIES, DECALS

## DISPOSABLE DUST MASKS

Disposable, lightweight dust masks conform comfortably to facial features. (Not intended to protect against fumes or vapors.) Economical box of 50.



#DM-50 Dust Masks

## DISPOSABLE GLOVES




Disposable vinyl gloves for staining, applying finishes, or general protection from dirt. Ambidextrous. Lightly powdered. Box of 100.

#959-0000 Disposable Gloves

## SHOP APRON

Made of heavy duty beige canvas. Steinway & Sons soundboard decal on front. 36" long. #D-SA Shop Apron



## PARTS STATION™ STORAGE CABINET

Rugged cabinets can be stacked or wall-mounted. Clear drawers (15) for optimum visibility. Drawer stops prevent accidental spills. 11¼" h x 12" w x 6" deep.



#CSE-C20P Parts Station™

## INDUSTRIAL RAZOR BLADES

Industrial one-edge razor blades for general shop use.



Economical box of 100.

#KN-867 Razor Blades, box

## HEAVY DUTY SLIDE-LOCK UTILITY KNIFE



Opens instantly to any one of 3 cutting positions. Blade retracts for safety. Comes with 5 heavy duty blades in handle.

#KN-855 Utility Knife

## UTILITY KNIFE BLADES

Keep your knives working efficiently. Heavy duty blades fit most standard utility knives.



#KN-852 Utility Knife Blades

## BREAKAWAY KNIFE

Black plastic handle with snap-off blade, lets you get a fresh sharp edge instantly.

#RFC-180 Olfa Snap-Off Knife

#RFC-180B Replacement Blade

## BREAKAWAY KNIFE



Yellow plastic handle with anti-slip rubber grip. Blade easily renewed by snapping off used portion.

#RFC-A2 Olfa Snap-Off Knife

#RFC-A2B Replacement Blade

## DECALS

Varnish transfer. Instructions included.



#DL-21M Mason & Hamlin Soundboard Decal



#DL-22C Chickering & Sons Soundboard Decal

#DL-23K Knabe Soundboard Decal



#DL-24B Baldwin Soundboard Decal

Not shown:

#DL-31M Mason & Hamlin Fallboard Decal

#DL-32C Chickering Fallboard

#DL-33K Knabe Fallboard

#DL-34B Baldwin Fallboard

## AUTOMATIC NUMBERING MACHINE

Ideal for numbering keys and hammers. Can be set to repeat the same number indefinitely, or to advance the number automatically. Prints from 1 to 6 digit numbers. Ink pad removes easily for re-inking.



#DL-67B

Automatic Numbering Machine

# REFINISHING SUPPLIES

## SHEFFIELD GOLDLEAF

*Premium metallic pigments  
for brilliant luster and long shelf life.*



### GOLDLEAF BRONZING POWDER

Premium quality goldleaf powder for mixing with lacquer or other clear coating. We offer 4 shades of goldleaf — use as is, or create your own special blend. Deep Gold is similar to NY Steinway color. Superlite Gold is somewhat pale. Rich Gold has a slight green tint. Copper can be used as reddish tint.

- # BRZ-1DG Deep Gold Bronzing Powder
- # BRZ-1SL Superlite (Pale) Gold Bronzing Powder
- # BRZ-1RG Rich Gold Bronzing Powder
- # BRZ-1CG Copper Bronzing Powder

### GOLDLEAF PRE-MIXED COATING

Ready-mixed goldleaf lacquer (xylox). Apply in usual manner, same as lacquer/powder mix. Thin with lacquer thinner. Deep Gold only.

- # BRZ-2 Deep Gold Pre-Mixed Coating

### GOLDLEAF AEROSOL

Easy-to-use metallic goldleaf aerosol for piano plates. Stops rust. 10 oz. Pale Gold only.

- # BRZ-3 Pale Gold Quik Spray

### BLACK EBONY DYE

Perfect for ebony sharps or wood sides of sharp keys. Unlike powders, Transtint liquid jet-black dyes dissolve instantly. No “clumping”, straining, or waiting time. Use with alcohols or water. Mix with denatured alcohol for ebony sharps. Mix with shellac and denatured alcohol for wood sides of sharps. 2 oz. concentrate.

- # BD-6023 Transtint™ Black Dye



### AEROSOL COLOR LACQUERS

Use alone, or follow with sanding sealer and clear lacquer in desired sheen. Special formula enables even the novice to do a professional job. Economical, easily applied, dries quickly. 13 oz. aerosol.

- # B101-G826 Black Gloss Aerosol
- # B101-S826 Black Satin Aerosol
- # B101-0832 Brown Mahogany Aerosol
- # B101-0831 Dark Mahogany Aerosol
- # B101-0820 Light Mahogany Aerosol
- # B101-0829 Med. Mahogany Aerosol
- # B101-0873 Red Mahogany Aerosol
- # B101-0815 Golden Oak Aerosol
- # B101-0809 American Dark Walnut
- # B101-0853 Medium Brown Walnut



### AEROSOL CLEAR LACQUERS

Easy to use. Two or three coats will develop a durable, alcohol resistant lacquer finish. Dries quickly. 13 oz. aerosol.

- # B101-0800 Clear Gloss Aerosol
- # B101-0801 Clear Satin Aerosol

### LACQUER LEVELER

Used to smooth and level a finish which has “orange-peeled”. Reflows the finish and allows trapped moisture to escape, to eliminate blushing or white spots. 13 oz. aerosol.

- # B101-0805 Lacquer Leveler



### BLUSH ERASER

Humid, damp, or cold climates can cause a finish to turn white (“blush”). This product reflows lacquer & allows trapped moisture to escape without changing existing color or sheen. 13 oz. aerosol.

- # B101-0871 Blush Eraser

### QUALARENU™ FINISH AMALGAMATOR

Popular, modern method of renovating an old, cracked, or alligatored lacquer finish. Brush, spray, or pad onto the old finish. Eliminates need for restaining and refilling with paste wood fillers. Ready to use. Not for use on polyester or polyurethane finishes. Easy to use.

- # B611-00055 Qualarenu™ Amalgamator



# REFINISHING SUPPLIES

## BEHLEN LACQUERS & SEALERS

### QUALALACQ™ LACQUERS

Top of the line clear lacquers. Highly resistant to strongest alcohol, water, moderate heat, abrasion. Will not scratch white after 7 days. Nitrocellulose based. Creates very hard finish. Gallon.

- # B611-100E7 Gloss Lacquer
- # B611-07557 Satin Lacquer



### QUALALACQ™ SANDING SEALER

An easy-sanding wood lacquer sanding sealer that produces a smooth, hard, clear binding coat between the wood and lacquer top coats. Light in color; heavy in body. Does not leave cloudy underbody. Maximum adhesion, exceptional flowing properties, and dusts freely within 45 minutes. Gallon.

- # B611-02007 Sanding Sealer



### QUALALACQ™ THINNER

Special blend of solvents formulated for use in nitrocellulose lacquers. Use in Qualalacq Sanding Sealer, and Qualalacq Lacquers. Promotes flow of lacquers. Excellent quality. Gallon.

- # B611-06317 Lacquer Thinner



### PORE-O-PAC™ PASTE WOOD FILLER

Solvent-based, paste wood filler used for filling open grained wood. Minimal shrinkage, excellent staining properties. May be top-coated with lacquer, shellac, varnish. Provides a glass-like surface for subsequent finishing coats. Quart can.

- # B744-1256 Medium Mahogany Filler
- # B744-0416 Natural Filler
- # B744-1156 Medium Brown Walnut Filler

## FUJI HVLP SPRAY EQUIPMENT

Introducing the new FUJI Q-Series™ HVLP Turbine Systems. Computerized designed airflow completely eliminates the "direct sound paths" (resulting in loud noise) found on all other mid-priced HVLP's. *Noise level is reduced by 50% with the Q-series.*

### WHAT IS HVLP?

HVLP turbine systems use a *high volume of low pressure* air to atomize paint. The air is supplied by a high output turbine that is maintenance-free. No compressor is needed and the quality of the finish is identical to the best high pressure spray finishes. Because the air pressure is low, the Fuji HVLP spray gun produces a softer, easier-to-control spray. This lets you lay the paint on gently and not blast it on. *Overspray is reduced up to 80%* for a cleaner, healthier workplace, and you will *save up to 50% in paint.*



### THE FUJI Q-SERIES™

The Q-3™ model turbine is powered by a high performance, 3-stage double ball bearing, single speed, bypass motor that produces over 100cfm (unrestricted) at 5 psi. This motor is a real workhorse, and is the most powerful in its class. Three stage means that 3 fans are used to develop air propulsion. The Q-3™ is designed for spraying all types of coatings including lacquers, enamels, oils, water-based coatings and occasional latex (finish quality) spraying. The system is perfect for all piano and furniture refinishers. *Spray anything, anywhere, wood or metal!*

- #FUJI Q-3 3 Stage Turbine System
- #FUJI Q-4 4 Stage Turbine System



*5 different needle assemblies and all replacement parts available. Call for details. Pianotek Supply is the authorized parts and service center for Fuji in the U.S. Specifications below:*

Model	Q3™	Q4™
Spraygun	SC-1	✓
Needle/Nozzle Setup	1mm (.039")	1.4mm (.055")
Cup Capacity	1 Quart (1000cc)	✓
Cup Type/Quick	Release Teflon Coated	✓
Hose	25ft x 3/4" Hi-Flex™ Rubber	✓
Motor Type	3-stage, Bypass	4-stage, Bypass
Motor Model	Ametek 116765-00	Ametek 119292-00
Voltage	120v Household Current	✓
Air Filter	2" Engineered Foam	✓
Case Dimensions	17 1/4" x 13" x 16 1/8"	✓
System Weight (in carton)	37lbs	38lbs
Warranty	24 months, Parts & Labor	✓

# RUBBING MEDIUMS

## BEHLEN RUBBING MEDIUMS

### PUMICE STONE

An abrasive for rubbing down wood finishes. Add water or paraffin oil as lubricant for final finish rubbing. 1 lb.

# B720-1402 Pumice Stone

### ROTTENSTONE

One of the finest substances used in wood finishing. Primarily used to polish a lacquered or varnished surface after a coarse rubbing with Pumice Stone. 1 lb.

# B720-15006 Rottenstone

### PARAFFIN OIL

A mineral oil used as lubricant for rubbing with Pumice or Rottenstone. Saves both time and effort in the rubbing. Formulated with fine cutting oils. Quart.

# B740-28646 Paraffin Oil

### WOOL-LUBE™

Specially formulated lubricant for preparing wood before waxing and polishing. Superior for removing pack marks, soiling, or fingerprints. Furniture rubbed with Wool-Lube can be recoated with lacquer. Water soluble, non-silicone, and fast clean up. Apply with steel wool, nylon pad, or sandpaper. Pint.

# B730-1365 Wool-Lube™



### FINISH-RUB *Great for satin sheen finishes!*

Extremely fine paste rubbing agent to restore dull, worn or scratched finishes. Use a cloth or steel wool for buffing out surface scratches. Highly recommended for creating or restoring satin sheen finish. Pint.

# B730-01165 Finish-Rub

### DELUXING COMPOUND

Combination of waxes & buffing materials that produce a smooth, hard, mirror-like gloss finish. Recommended for use on lacquer, varnish, acrylic, or enamel. Use on any shade. No silicone. Pint.

# B730-1205 Deluxing Compound

### RUBBING COMPOUND

For the final rubbing. Behlen's semi-paste, extra-fine abrasive compound for rubbing down final coat of lacquer, shellac, or varnish. Removes minor surface imperfections and overspray. Pint.

# B730-01115 Rubbing Compound

### MUSIC WIRE POLISH

Emery impregnated rubber eraser for removing rust from music wire, pedals, hardware. Approx. 2" x 1".

# WP-60 Steel Polish



### FELT RUBBING BLOCK



Use with rubbing compounds to smooth or adjust the sheen of a cured finish. Often used with Wool-Lube to level burn-ins. 1" x 2" x 4".

# B902-1000 Felt Rubbing Block

### CORK BLOCK

Use with sandpaper for a level sanding job. Or shape to use on irregular surfaces. 4½" x 2¼" x 1¼".

# CB-1 Cork Block

### FLITZ METAL POLISH

An outstanding metal polish for use on all piano hardware. 5.29 oz. tube.

# FL-1 Flitz Metal Polish



### NEVR-DULL WADDING POLISH

Wadding cleaning/polisher removes most rust and dirt quickly and effectively. Great on keypins. 5 oz. can of ready-to-use metal polish.

# NVD-5 Nev-Dull Wadding Polish



### SCOTCH-BRITE PADS

Great for stripping, rubbing between coats, polishing, cleaning and more. Durable, won't leave fibers or oily residue behind. 6" x 9".

# SB-1 Ultra Fine Scotch-Brite Pad

# SB-2 General Purpose Scotch-Brite Pad



# BUFFING & POLISHING

For  
Lacquer or Polyester  
Finishes!

## MENZERNA POLISHING COMPOUNDS

*Highest quality polishing compounds, used by major piano manufacturers for high gloss & satin finishes.*

### PREPOLISHING PASTE COMPOUND

Prepolishing paste compound for removal of 400-grit sanding. Use with a lambswool pad buffer, or by hand. Also used for satin/matte finishing. To create satin finish, use cotton rag, rubbing in one direction. 1.65 lb. (3/4 kg.) in a red tin.



#MZ-DD3 Prepolishing Paste Compound



### PREPOLISHING COMPOUND

Brown prepolishing compound for removal of 600-grit sanding. 2 1/2 lb. bar. We recommended following this with the MZ-W16 and Final Polish.

#MZ-113GZW Prepolishing Compound

### PREPOLISHING PASTE COMPOUND

Prepolishing paste compound for removal of 600-grit sanding. Use with lambswool buffer at approx. 1200-1750 RPM. 1.65 lb. (3/4 kg.) can.

#MZ-2L Prepolishing Paste Compound



### FINE POLISHING COMPOUND

Yellow, fine polishing compound for high gloss surface, polyester or lacquer, after 1000-grit sanding or prepolishing. 3 lb. bar.

#MZ-W16 Fine Polishing Compound



### POLISHING PASTE COMPOUND



White paste for use after 1000-grit sanding or prepolishing. Use with lambswool buffer at 1200-1750 RPM. 1.65 lb. can.

#MZ-P16 Polishing Paste Compound

### INTENSIVE POLISH

Very fine liquid compound for high-gloss finishing after 2000-grit sanding or light scratch removal. 1 kg. (approx. 1 quart) bottle.

#MZ-91E Intensive Polish



### FINAL POLISH

Swirl mark & haze remover for permanent repair of surface imperfections. (Not a fill-in glaze or wax.) Leaves a perfect defect-free surface. Use by hand. 1 kg. (approx. 1 qt.) bottle.

#MZ-87MF Final Polish



### SPECIAL KEYTOP BUFFING COMPOUND

Best choice for removing scratches & creating smooth finishes on keytops. Specially formulated compound can be used alone or followed with white rouge for an even higher luster. 2 lb. bar.

#PBC-1 Keytop Compound

### WHITE ROUGE

High-luster finishing on plastic, stainless steel, chrome, aluminum.

#P-27 White Rouge 3 lb. bar

### TRIPOLI COMPOUND

For soft metals like brass, copper, as well as plastics, bone, wood.

#22-T Tripoli 1 lb. bar

### BLACK ROUGE

For ebony sharps.

#B-34 Black Rouge 2 1/4 lb. bar



### 4-BAR COMPOUND SET

5 oz. bar each of: White Rouge, Tripoli, Red Rouge (for precious metals), & Emery Cake (for rust removal or tough jobs).

#4-C 4-Bar Compound Set

### BUFFING RAKE

For removing dried compound, fluffing & truing buffing wheels. Steel rake on 15" hardwood handle.

#DC-R Buffing Rake

### BUFFING WHEELS

Special bias-cut buffing wheels avoid streaking caused by stitched wheels. Bias-cut helps prevent raveling & holds a better head of compound. Best used in pairs.

#DC-600 6" Buffing Wheel (1/2" hole)

#DC-800 8" Buffing Wheel (5/8" hole)

### BRITE-TEX WHEELS

Made of synthetic abrasive fibers excellent for rust removal. Cuts fast, and holds more compound. 5" dia., 1/2" hole.

#DC-SB Bright-Tex Buff Wheel

# TOUCH-UP SUPPLIES

## SCRATCH OFF

Hide scratches and imperfections on new or old finishes. Simply spray, wait a minute, and polish. For dark finishes. 13 oz. aerosol.

# B103-267 Scratch Off Aerosol



## QUALASOLE FRENCH POLISH

Requires no oil when French polishing, padding, touching up, or renovating. Apply with a pad to raw wood or over any cured shellac, varnish, lacquer, paint or enamel. Quick, permanent finish with beautiful appearance. Pint.

# B611-00015 Qualasole French Polish

## FRENCH LAC

A light amber French padding finish, suitable for use on the lightest of finishes. A ready to use formula which has been in use for years by touch-up professionals for spot repairs or full finishes. Pint.

# B611-0065 French Lac



## BEKHOL SOLVENT

Use to cut dry shellac, French polishes, manufactured spirits, stains, & varnishes. Quart.

# B650-2816 Bekhol Solvent

## FILL STICKS

A rub-on putty and wax pencil that fixes & eliminates scars, scratches, gouges, and abrasions on wood, leather, & plastics. Accepts any type of top coat.



- # B230-008 Black
- # B230-011 Medium Brown Walnut
- # B230-001 Mahogany
- # B230-012 Medium Mahogany
- # B230-873 Red Mahogany
- # B230-007 White

## SCRATCH REMOVER MARKERS



As easy as writing! Permanently stains wood, refinishes worn out spots & scratches on wood, leather, and vinyl. Dries instantly.

- # B267-008 Black
- # B267-011 Medium Brown Walnut
- # B267-012 Medium Mahogany
- # B267-873 Red Mahogany

## GRAINING PENS



A fine-point, stain & finish marker. Use to replace grain in burn-ins or fills.

- # B272-005 Black Graining Pen
- # B272-004 Dark Brown Graining Pen

## TITEBOND® WOOD FILLER

For repair of cracks, holes, and chips. Durable formula blended with real wood fibers to make strong, permanent repair. Simply sand flush when dry. 5 oz. can.

- # FT-1902N Natural Filler
- # FT-1932W Walnut Filler
- # FT-1942M Mahogany Filler



## BEHLEN GUIDE BOOK

Guide to wood refinishing, explaining Behlen products and their usage.

# B997-0001 Behlen Guide Book

## WOOD ALCOHOL

Mix with Transtint black dye (pg. B-11), for ebony sharps. Use for thinning shellac, etc. Quart.

# B650-2826 Wood Alcohol




# BURN-IN SUPPLIES

## PROFESSIONAL BURN-IN STICKS

Behlen's superior quality lacquer burn-in sticks are manufactured from the finest colorants and resins. Will not lift out, and accepts any type of finish. May be leveled by using Wool-Lube, wet/dry sand paper, and a felt rubbing block.

- # B320-011 Amber
- # B320-010 Dark Amber
- # B320-008 Black
- # B320-014 Van Dyke Brown
- # B320-012 Clear
- # B320-001 Mahogany
- # B320-016 Brown Mahogany
- # B320-017 Light Mahogany
- # B320-015 Medium Mahogany
- # B320-004 Dark Walnut
- # B320-013 Dark American Walnut
- # B320-853 Medium Brown Walnut
- # B320-003 Light Walnut
- # B320-007 White



## WOOL-LUBE™

Use with wet/dry sandpaper and a felt or cork block to level excess burn-in sticks. Will not harm existing finish. Pint.

# B730-1365 Wool-Lube™

## BEHLEN MASTER BURN-IN KIT

Offers the first-time, occasional, and the professional finisher a complete & convenient package of professional products. Step-by-step instructions included on inner lid of the kit's easy-to-transport cardboard box. Kit includes:



- Electric Burn-In Knife
- Eighteen 2" Assorted Burn-In Sticks
- 8 oz. Wool-Lube™
- 2 oz. Burn-In Balm
- Graining Pen
- Sandpaper
- Rubbing Block
- Cloth
- Easy-to-Follow Instructions

# B881-0018 Behlen Master Burn-In Kit

## BURN-IN BALM



Essential heat-resistant paste used to prevent damage to the surrounding finish while performing a burn-in repair. Also prevents unwanted spread of excess burn-in stick. 4 oz.

# B700-1203 Burn-in Balm

## ELECTRIC BURN-IN KNIFE

Makes lacquer burn-ins easy. Features rugged construction and long element life. High temperature element core assures top performance. Features an easy-to-grip wooden handle, with a 3-conductor style extra flexible 6-foot neoprene power cord. UL listed, 20 watts. Comes with flat blade and small stand.



# B900-EK24FC Electric Burn-In Knife with Flat Blade

# B900-B24F Flat Angled Blade only

# B900-B24C Curved Blade only

## TEMPERATURE CONTROL UNIT

Use with the electric burn-in knife, key easing iron, or hammer iron. High quality unit controls heat from 150° to full heat. Equipped with both 3-prong plug and receptacle. Plug unit into outlet, and plug your tool into the control unit.



# HDL-1 Dial-Temp Controller

## IVORY REPAIR KIT

AcryliKey II is the only product of its kind for repairing chipped ivory and plastic. Repairs can be made on site in a short period of time with no difficult color mixing. All repairs are strong, long lasting, and nearly invisible. Enough material for over 50 repairs.




- Repairs made in less than 20 minutes.
- Nearly invisible.
- Enough material for 50+ repairs.
- Includes all necessary utensils & instructions.

#KTR-2AK	AcryliKey II
#KTR-2MR	Monomer Liquid Refill
#KTR-2WR	White Polymer Powder Refill
#KTR-2YR	Yellow Polymer Powder Refill
#KTR-2FR	File Set Refill

## DRY TRANSFER DECALS & BURNISHER

Perfect for Steinway serial numbers and plain wire gauges. Very easy to use -- just position the decal and burnish. Most any clear aerosol can be applied on top. Unlimited shelf life if kept clean and dry.



#DL-713  
Roman Letters & Numbers  
48 per sheet



#DL-732  
Gothic Letters & Numbers  
43 per sheet



#DL-726 Gothic Numbers  
46 per sheet



#DL-600  
Dry Transfer Burnisher



## STEINWAY FURNITURE CARE *The only products endorsed for Steinway pianos.*



Steinway Supreme Polish in a convenient 12 oz. aerosol. Leaves wood with a gorgeous, deep sheen. Protects wood from cracking, drying, and spills. Requires little buffing to achieve desired effect.

#PL-10S Steinway Supreme Polish

Soft 12" square cloth for superior cleaning and polishing. Elegantly displays genuine Steinway & Sons logo.

#PL-11S Steinway Polishing Cloth

Steinway Cleanse and Condition is specially formulated for regular dusting and cleaning. Perfect for lacquer finishes. Never streaks or feels oily.

#PL-12S Steinway Cleanse & Condition

Steinway Cream Polish in a 12 oz. bottle for extra rich polishing. Provides superior protection for fine wood finishes.


#PL-13S Steinway Cream Polish



# SUPPLIES

## WOOD EPOX & LIQUID WOOD

Epoxy Wood Replacement Compounds



WoodEpoxy is a machinable shrink-free adhesive paste that replaces rotted or missing wood indoors & out. This 2-part epoxy is dough-like in consistency, similar to wood in weight, with little odor.

Half-hour working time. Apply by hand or spatula.



Ideal for plugging key lead holes and case repair. Dries to a light wood tone which can be stained before or after. Can be sanded, sawed, nailed, planed, machined, stained, painted and finished!

Also available in liquid form designed to penetrate and harden rotted wood. Apply LiquidWood with a brush or by pouring onto wood. Both consistencies can even be used outdoors on rotted decks and windowsills.

- # WX-16 Wood Epoxy A & B (1 pint each)
- # WX-32 Wood Epoxy A & B (1 quart each)
- # WX-L16 Liquid Wood Epoxy A & B (1 pint each)

*Perfect for case repair!*

## LACQUER FOR HAMMER VOICING



Lacquer designed for hammer felt treatment. Mix with lacquer thinner or acetone, adjusting strength as needed. Apply to hammer shoulder, or to strike point for more aggressive results. Allow about 24 hours drying time to get 80% tone – one month for full cure. *Not for wood finishing.* 32 oz.

# LAC-32 Hammer-Lac

## HAMMER HANGING GLUE

Absolutely the best glue for hammer hanging. Titebond Wood Molding Glue has a very thick consistency that allows for secure, factory-style glue collars and extended working time. 8 oz. bottle.

# FT-M8 Wood Molding Glue



## EPOXY PUTTY STICKS



Great for a quick screwhole or dent repair. Easy to use. Simply slice off a piece and knead it in your hands. Dries fast. May be sanded, stained, painted.

- # M743-1510 Pine
- # M743-1520 White
- # M743-1530 Oak
- # M743-1540 Mahogany
- # M743-1550 Cherry
- # M743-1560 Walnut
- # M743-1570 Black

## WOOD FINISHING & REPAIR DVD

Behlen Wood Finishing & Repair Interactive Training System DVD teaches wood finishing and repair techniques. Topics include: damage analysis, filling of damages, replacing color, grain replacement, spot finish application, sheen adjustment, scratch removal, finish care.

# B900-0040 Behlen Wood Finishing DVD

