

REFINISHING SUPPLIES

SHEFFIELD GOLDLEAF

*Premium metallic pigments
for brilliant luster and long shelf life.*



GOLDLEAF BRONZING POWDER

Premium quality goldleaf powder for mixing with lacquer or other clear coating. We offer 4 shades of goldleaf — use as is, or create your own special blend. Deep Gold is similar to NY Steinway color. Superlite Gold is somewhat pale. Rich Gold has a slight green tint. Copper can be used as reddish tint.

- # BRZ-1DG Deep Gold Bronzing Powder
- # BRZ-1SL Superlite (Pale) Gold Bronzing Powder
- # BRZ-1RG Rich Gold Bronzing Powder
- # BRZ-1CG Copper Bronzing Powder

GOLDLEAF PRE-MIXED COATING

Ready-mixed goldleaf lacquer (xylox). Apply in usual manner, same as lacquer/powder mix. Thin with lacquer thinner. Deep Gold only.

- # BRZ-2 Deep Gold Pre-Mixed Coating

GOLDLEAF AEROSOL

Easy-to-use metallic goldleaf aerosol for piano plates. Stops rust. 10 oz. Pale Gold only.

- # BRZ-3 Pale Gold Quik Spray

BLACK EBONY DYE

Perfect for ebony sharps or wood sides of sharp keys. Unlike powders, Transtint liquid jet-black dyes dissolve instantly. No “clumping”, straining, or waiting time. Use with alcohols or water. Mix with denatured alcohol for ebony sharps. Mix with shellac and denatured alcohol for wood sides of sharps. 2 oz. concentrate.

- # BD-6023 Transtint™ Black Dye



AEROSOL COLOR LACQUERS

Use alone, or follow with sanding sealer and clear lacquer in desired sheen. Special formula enables even the novice to do a professional job. Economical, easily applied, dries quickly. 13 oz. aerosol.

- # B101-G826 Black Gloss Aerosol
- # B101-S826 Black Satin Aerosol
- # B101-0832 Brown Mahogany Aerosol
- # B101-0831 Dark Mahogany Aerosol
- # B101-0820 Light Mahogany Aerosol
- # B101-0829 Med. Mahogany Aerosol
- # B101-0873 Red Mahogany Aerosol
- # B101-0815 Golden Oak Aerosol
- # B101-0809 American Dark Walnut
- # B101-0853 Medium Brown Walnut



AEROSOL CLEAR LACQUERS

Easy to use. Two or three coats will develop a durable, alcohol resistant lacquer finish. Dries quickly. 13 oz. aerosol.

- # B101-0800 Clear Gloss Aerosol
- # B101-0801 Clear Satin Aerosol

LACQUER LEVELER

Used to smooth and level a finish which has “orange-peeled”. Reflows the finish and allows trapped moisture to escape, to eliminate blushing or white spots. 13 oz. aerosol.

- # B101-0805 Lacquer Leveler



BLUSH ERASER

Humid, damp, or cold climates can cause a finish to turn white (“blush”). This product reflows lacquer & allows trapped moisture to escape without changing existing color or sheen. 13 oz. aerosol.

- # B101-0871 Blush Eraser

QUALARENU™ FINISH AMALGAMATOR

Popular, modern method of renovating an old, cracked, or alligatored lacquer finish. Brush, spray, or pad onto the old finish. Eliminates need for restaining and refilling with paste wood fillers. Ready to use. Not for use on polyester or polyurethane finishes. Easy to use.

- # B611-00055 Qualarenu™ Amalgamator



REFINISHING SUPPLIES

BEHLEN LACQUERS & SEALERS

QUALALACQ™ LACQUERS

Top of the line clear lacquers. Highly resistant to strongest alcohol, water, moderate heat, abrasion. Will not scratch white after 7 days. Nitrocellulose based. Creates very hard finish. Gallon.

- # B611-100E7 Gloss Lacquer
- # B611-07557 Satin Lacquer



QUALALACQ™ SANDING SEALER

An easy-sanding wood lacquer sanding sealer that produces a smooth, hard, clear binding coat between the wood and lacquer top coats. Light in color; heavy in body. Does not leave cloudy underbody. Maximum adhesion, exceptional flowing properties, and dusts freely within 45 minutes. Gallon.

- # B611-02007 Sanding Sealer



QUALALACQ™ THINNER

Special blend of solvents formulated for use in nitrocellulose lacquers. Use in Qualalacq Sanding Sealer, and Qualalacq Lacquers. Promotes flow of lacquers. Excellent quality. Gallon.

- # B611-06317 Lacquer Thinner



PORE-O-PAC™ PASTE WOOD FILLER

Solvent-based, paste wood filler used for filling open grained wood. Minimal shrinkage, excellent staining properties. May be top-coated with lacquer, shellac, varnish. Provides a glass-like surface for subsequent finishing coats. Quart can.

- # B744-1256 Medium Mahogany Filler
- # B744-0416 Natural Filler
- # B744-1156 Medium Brown Walnut Filler

FUJI HVLP SPRAY EQUIPMENT

Introducing the new FUJI Q-Series™ HVLP Turbine Systems. Computerized designed airflow completely eliminates the "direct sound paths" (resulting in loud noise) found on all other mid-priced HVLP's. *Noise level is reduced by 50% with the Q-series.*

WHAT IS HVLP?

HVLP turbine systems use a *high volume of low pressure* air to atomize paint. The air is supplied by a high output turbine that is maintenance-free. No compressor is needed and the quality of the finish is identical to the best high pressure spray finishes. Because the air pressure is low, the Fuji HVLP spray gun produces a softer, easier-to-control spray. This lets you lay the paint on gently and not blast it on. *Overspray is reduced up to 80%* for a cleaner, healthier workplace, and you will *save up to 50% in paint.*



THE FUJI Q-SERIES™

The Q-3™ model turbine is powered by a high performance, 3-stage double ball bearing, single speed, bypass motor that produces over 100cfm (unrestricted) at 5 psi. This motor is a real workhorse, and is the most powerful in its class. Three stage means that 3 fans are used to develop air propulsion. The Q-3™ is designed for spraying all types of coatings including lacquers, enamels, oils, water-based coatings and occasional latex (finish quality) spraying. The system is perfect for all piano and furniture refinishers. *Spray anything, anywhere, wood or metal!*

- #FUJI Q-3 3 Stage Turbine System
- #FUJI Q-4 4 Stage Turbine System



5 different needle assemblies and all replacement parts available. Call for details. Pianotek Supply is the authorized parts and service center for Fuji in the U.S. Specifications below:

Model	Q3™	Q4™
Spraygun	SC-1	✓
Needle/Nozzle Setup	1mm (.039")	1.4mm (.055")
Cup Capacity	1 Quart (1000cc)	✓
Cup Type/Quick	Release Teflon Coated	✓
Hose	25ft x 3/4" Hi-Flex™ Rubber	✓
Motor Type	3-stage, Bypass	4-stage, Bypass
Motor Model	Ametek 116765-00	Ametek 119292-00
Voltage	120v Household Current	✓
Air Filter	2" Engineered Foam	✓
Case Dimensions	17 1/4" x 13" x 16 1/8"	✓
System Weight (in carton)	37lbs	38lbs
Warranty	24 months, Parts & Labor	✓

RUBBING MEDIUMS

BEHLEN RUBBING MEDIUMS

PUMICE STONE

An abrasive for rubbing down wood finishes. Add water or paraffin oil as lubricant for final finish rubbing. 1 lb.

B720-1402 Pumice Stone

ROTTENSTONE

One of the finest substances used in wood finishing. Primarily used to polish a lacquered or varnished surface after a coarse rubbing with Pumice Stone. 1 lb.

B720-15006 Rottenstone

PARAFFIN OIL

A mineral oil used as lubricant for rubbing with Pumice or Rottenstone. Saves both time and effort in the rubbing. Formulated with fine cutting oils. Quart.

B740-28646 Paraffin Oil

WOOL-LUBE™

Specially formulated lubricant for preparing wood before waxing and polishing. Superior for removing pack marks, soiling, or fingerprints. Furniture rubbed with Wool-Lube can be recoated with lacquer. Water soluble, non-silicone, and fast clean up. Apply with steel wool, nylon pad, or sandpaper. Pint.

B730-1365 Wool-Lube™



FINISH-RUB *Great for satin sheen finishes!*

Extremely fine paste rubbing agent to restore dull, worn or scratched finishes. Use a cloth or steel wool for buffing out surface scratches. Highly recommended for creating or restoring satin sheen finish. Pint.

B730-01165 Finish-Rub

DELUXING COMPOUND

Combination of waxes & buffing materials that produce a smooth, hard, mirror-like gloss finish. Recommended for use on lacquer, varnish, acrylic, or enamel. Use on any shade. No silicone. Pint.

B730-1205 Deluxing Compound

RUBBING COMPOUND

For the final rubbing. Behlen's semi-paste, extra-fine abrasive compound for rubbing down final coat of lacquer, shellac, or varnish. Removes minor surface imperfections and overspray. Pint.

B730-01115 Rubbing Compound

MUSIC WIRE POLISH

Emery impregnated rubber eraser for removing rust from music wire, pedals, hardware. Approx. 2" x 1".

WP-60 Steel Polish



FELT RUBBING BLOCK



Use with rubbing compounds to smooth or adjust the sheen of a cured finish. Often used with Wool-Lube to level burn-ins. 1" x 2" x 4".

B902-1000 Felt Rubbing Block

CORK BLOCK

Use with sandpaper for a level sanding job. Or shape to use on irregular surfaces. 4½" x 2¼" x 1¼".

CB-1 Cork Block

FLITZ METAL POLISH

An outstanding metal polish for use on all piano hardware. 5.29 oz. tube.

FL-1 Flitz Metal Polish



NEVR-DULL WADDING POLISH

Wadding cleaning/polisher removes most rust and dirt quickly and effectively. Great on keypins. 5 oz. can of ready-to-use metal polish.

NVD-5 Nev-Dull Wadding Polish



SCOTCH-BRITE PADS

Great for stripping, rubbing between coats, polishing, cleaning and more. Durable, won't leave fibers or oily residue behind. 6" x 9".

SB-1 Ultra Fine Scotch-Brite Pad

SB-2 General Purpose Scotch-Brite Pad



BUFFING & POLISHING

For
Lacquer or Polyester
Finishes!

MENZERNA POLISHING COMPOUNDS


Highest quality polishing compounds, used by major piano manufacturers for high gloss & satin finishes.

PREPOLISHING PASTE COMPOUND

Prepolishing paste compound for removal of 400-grit sanding. Use with a lambswool pad buffer, or by hand. Also used for satin/matte finishing. To create satin finish, use cotton rag, rubbing in one direction. 1.65 lb. (3/4 kg.) in a red tin.



#MZ-DD3 Prepolishing Paste Compound



PREPOLISHING COMPOUND

Brown prepolishing compound for removal of 600-grit sanding. 2 1/2 lb. bar. We recommended following this with the MZ-W16 and Final Polish.

#MZ-113GZW Prepolishing Compound

PREPOLISHING PASTE COMPOUND

Prepolishing paste compound for removal of 600-grit sanding. Use with lambswool buffer at approx. 1200-1750 RPM. 1.65 lb. (3/4 kg.) can.

#MZ-2L Prepolishing Paste Compound



FINE POLISHING COMPOUND

Yellow, fine polishing compound for high gloss surface, polyester or lacquer, after 1000-grit sanding or prepolishing. 3 lb. bar.

#MZ-W16 Fine Polishing Compound



POLISHING PASTE COMPOUND



White paste for use after 1000-grit sanding or prepolishing. Use with lambswool buffer at 1200-1750 RPM. 1.65 lb. can.

#MZ-P16 Polishing Paste Compound

INTENSIVE POLISH

Very fine liquid compound for high-gloss finishing after 2000-grit sanding or light scratch removal. 1 kg. (approx. 1 quart) bottle.

#MZ-91E Intensive Polish



FINAL POLISH

Swirl mark & haze remover for permanent repair of surface imperfections. (Not a fill-in glaze or wax.) Leaves a perfect defect-free surface. Use by hand. 1 kg. (approx. 1 qt.) bottle.

#MZ-87MF Final Polish



SPECIAL KEYTOP BUFFING COMPOUND

Best choice for removing scratches & creating smooth finishes on keytops. Specially formulated compound can be used alone or followed with white rouge for an even higher luster. 2 lb. bar.

#PBC-1 Keytop Compound



WHITE ROUGE

High-luster finishing on plastic, stainless steel, chrome, aluminum.

#P-27 White Rouge 3 lb. bar

TRIPOLI COMPOUND

For soft metals like brass, copper, as well as plastics, bone, wood.

#22-T Tripoli 1 lb. bar

BLACK ROUGE

For ebony sharps.

#B-34 Black Rouge 2 1/4 lb. bar

4-BAR COMPOUND SET

5 oz. bar each of: White Rouge, Tripoli, Red Rouge (for precious metals), & Emery Cake (for rust removal or tough jobs).

#4-C 4-Bar Compound Set

BUFFING RAKE

For removing dried compound, fluffing & truing buffing wheels. Steel rake on 15" hardwood handle.

#DC-R Buffing Rake

BUFFING WHEELS

Special bias-cut buffing wheels avoid streaking caused by stitched wheels. Bias-cut helps prevent raveling & holds a better head of compound. Best used in pairs.

#DC-600 6" Buffing Wheel (1/2" hole)

#DC-800 8" Buffing Wheel (5/8" hole)

BRITE-TEX WHEELS

Made of synthetic abrasive fibers excellent for rust removal. Cuts fast, and holds more compound. 5" dia., 1/2" hole.

#DC-SB Bright-Tex Buff Wheel